



For further information please phone:

VIC (03) 8795 2424

SA/NT/QLD (08) 8307 5300

WA (08) 9454 1010

NSW/ACT (02) 6882 2733

PYROX IS A CLIMATE TECHNOLOGIES BRAND
ABN 13 001 418 042
Climate Technologies 26 Nylex Avenue
Salisbury South Australia 5108 08 8307 5100

bonaire.com.au

Your nearest Bonaire stockist is:-

In the interest of continued product improvement, Bonaire reserves the right to alter specifications without notice E & OE. Colours represented are as accurate as the printing process will allow. Images used, are for illustration purposes only. For further information on warranty terms and conditions please refer to Bonaire's warranty information booklet.

*Domestic warranty only. Unit warranty for commercial applications varies depending on model.

BON780-6 February 2018





Pyrox Wall Furnaces





Pyrox Wall

If heating only the living area of your home is what you need, then the Pyrox Wall Furnace is the solution. Designed to deliver floor level warmth, the Pyrox Wall Furnace is the ideal heater to accommodate living areas or large entertaining areas in any home.




Rear register option

SPECIFICATIONS

Pyrox Wall Furnace	
Gas Type	
Heat Output kW/Hr (nominal)	
Area that can be heated (m ²)	Tem
	Brisk 60
Star Rating	
Dimensions	
Height	
Width	
Depth inbuilt	
Depth Console	
Colour	

Area that can be heated is indicative only and is based on standard room dimensions, appropriate window coverings. For accurate sizing of unit, heat

Furnaces



Pyrox Deluxe Manual Wall Furnace

- Choice of two sizes to heat small or large rooms
- Choice of inbuilt or console models
- Stylish slimline cabinet
- Electronic ignition to eliminate the need for wasteful pilot lights
- Simple to operate electronic controls
- Three pre-set temperature settings
- Rear register option to split heating into two rooms
- Cool touch exterior
- Direct replacement for the Vulcan Quasar wall furnace without the need for unattractive infill panel
- Two year parts and labour warranty. 10 year parts only warranty on burner*

30Mj		40Mj		
Natural		Natural		
6.5		7.8		
Temperature Zone		Temperature Zone		
Cool 80	Moderate 90	Brisk 70	Cool 90	Moderate 110
1.7		1.9		
2100		2100		
480		480		
160		160		
250		250		
Silver Beige				

Standard brick veneer construction, insulated walls with 2.4m ceiling height and heating capacity will need to be calculated for your specific application.

